

# PROVIDER NOTIFICATION

## MMP/DUALS PRECERTIFICATION OPTIMIZATION

Dear Valued Provider,

In a periodic review of our Prior Authorization code listing and coverage, we are updating the attached list of codes to non-covered. If you have questions, contact your health plan representative.

Aetna Better Health Premier Plan of Michigan MMAI **will deny claims received on or after 7/1/2023 for dates of service 4/18/2023 and after** for the set of codes listed below for participating providers. This is part of a larger optimization initiative intended to ensure the safety, medical necessity, and appropriateness of requested procedures.

As always, do not hesitate to contact your Aetna Better Health Premier Plan of Michigan MMAI Provider Relations Representative with any questions or comments. 1-855-676-5772.

Thank you for your valued partnership in caring for our Aetna Better Health Members.

Sincerely,

Provider Services and Chief Medical Officer

Aetna Better Health Premier Plan of Michigan MMAI

### Non-Covered Procedure Codes/Descriptions

| Code  | Short Description               |
|-------|---------------------------------|
| 91300 | SARSCOV2 VAC 30MCG/0.3ML IM     |
| 91301 | SARSCOV2 VAC 100MCG/0.5ML<br>IM |
| 91305 | SARSCOV2 VAC 30 MCG TRS-SUCR    |
| 91306 | SARSCOV2 VAC 50MCG/0.25ML<br>IM |
| 91307 | SARSCOV2 VAC 10 MCG TRS-SUCR    |
| 91308 | SARSCOV2 VAC 3 MCG TRS-SUCR     |

|       |                                 |
|-------|---------------------------------|
| 91309 | SARSCOV2 VAC 50MCG/0.5ML IM     |
| 91311 | SARSCOV2 VAC 25MCG/0.25ML<br>IM |
| 0001A | ADM SARSCOV2 30MCG/0.3ML<br>1ST |
| 0002A | ADM SARSCOV2 30MCG/0.3ML<br>2ND |
| 0003A | ADM SARSCOV2 30MCG/0.3ML<br>3RD |
| 0004A | ADM SARSCOV2 30MCG/0.3ML<br>BST |
| 0011A | ADM SARSCOV2<br>100MCG/0.5ML1ST |

|       |                                 |
|-------|---------------------------------|
| 0012A | ADM SARSCOV2<br>100MCG/0.5ML2ND |
| 0013A | ADM SARSCOV2<br>100MCG/0.5ML3RD |
| 0051A | ADM SARSCV2 30MCG TRS-SUCR 1    |
| 0052A | ADM SARSCV2 30MCG TRS-SUCR 2    |
| 0053A | ADM SARSCV2 30MCG TRS-SUCR 3    |
| 0054A | ADM SARSCV2 30MCG TRS-SUCR B    |
| 0064A | ADM SARSCOV2<br>50MCG/0.25MLBST |
| 0071A | ADM SARSCV2 10MCG TRS-SUCR 1    |

|       |                              |
|-------|------------------------------|
| 0072A | ADM SARSCV2 10MCG TRS-SUCR 2 |
| 0073A | Adm sarscv2 10mcg TRS-SUCR 3 |
| 0074A | ADM SARSCV2 10MCG TRS-SUCR B |
| 0081A | ADM SARSCV2 3MCG TRS-SUCR 1  |
| 0082A | ADM SARSCV2 3MCG TRS-SUCR 2  |
| 0083A | ADM SARSCV2 3MCG TRS-SUCR 3  |

|       |                                 |
|-------|---------------------------------|
| 0091A | ADM SARSCOV2 50 MCG/.5 ML1ST    |
| 0092A | ADM SARSCOV2 50 MCG/.5 ML2ND    |
| 0093A | ADM SARSCOV2 50 MCG/.5 ML3RD    |
| 0094A | ADM SARSCOV2 50 MCG/.5 MLBST    |
| 0111A | ADM SARSCOV2<br>25MCG/0.25ML1ST |
| 0112A | ADM SARSCOV2<br>25MCG/0.25ML2ND |
| 0113A | ADM SARSCOV2<br>25MCG/0.25ML3RD |

